



CITGO TRANSGARD® CVT Fluid

OVERVIEW



- A full synthetic, continuously variable transmission (CVT) fluid specifically formulated to prolong and protect transmission life in modern, high-technology belt- and chain-driven CVTs.
- Helps maintain smooth operation, reduces transmission wear, and degrades less over time.

FEATURES & BENEFITS




- Maintains viscosity control over the life of the fluid for smooth shifting and fuel economy.
- Prevents wear in metal contacts while maintaining the proper frictional values to transfer high levels of torque and prevent shudder.
- Excellent oxidation control to maximize fluid life and maintain chemical properties.

APPLICATIONS



- Recommended for use in most foreign and domestic belt- and chain-driven CVTs and is suitable for use where CVT fluid and the following specifications are recommended:
 Audi/VW TL52180, (G052180), TL52116 (G052516)
 SUBARU i-CVT, ECVT, Lineartronic chain CVT, K0425Y0710, CV-30, NS-2
 BMW 83220136376, 83220429154, EZL 799
 Daihatsu Ammix CVTF-DC, DFC, DFE, TC
 Dodge/Jeep NS-2, CVT+4, Mopar CVT+4
 GM/Saturn DEX-CVT
 Honda HMMF (without starting clutch) HCF-2, Honda Z-1 (CV-T model, without starting clutch, not SFU for 2001-2007 Honda Fit & Jazz)
 Hyundai/Kia SP-III (CVT model), CVT-J1
 Mazda JWS 3320
 Mini Cooper EZL, EZL 799A, ZF CVT V1
 Mitsubishi DiaQueen CVTF-J1, J4, J4+, SP-III (CVT model only)
 Nissan NS-1, NS-2, NS-3
 Punch CVT
 Shell Green 1V
 Suzuki CVTF 3320, TC, NS-2, CVTF Green 1,2, 1V
 Toyota TC, FE
 Volvo CVT 4959
- DO NOT USE in non-CVT vehicles.
- Refer to equipment owner's manual for proper lubricant recommendation.

PROPERTIES**Typical Properties for CITGO TRANSGARD CVT Fluid:**

Material Code	633134001
Gravity, ASTM D237, °API	35.3
Density, Pounds Per Gallon	7.1
Flash Point, P.M. D93, °C	190
Pour Point, ASTM D97, °F (°C)	-40
Viscosity ASTM D445	
cSt at 40°C	35
cSt at 100°C	7.3
Viscosity Index D2270	180
Brookfield Viscosity @ -40°C	13,000
Color	Red

CITGO and TRANSGARD are registered trademarks of CITGO Petroleum Corporation. All other registered trademarks or trademarks are the property of their respective owners. Values shown are typical values only and do not constitute a specification. The information contained herein is subject to change without notice.