



CITGO COMPRESSOR OIL 7585

Date 06/15

DESCRIPTION: CITGO Compressor Oil 7585 is a compressor lubricant specifically designed to provide excellent protection against oxidation and corrosion for reciprocating compressors operating in sour, wet, high pressure natural gas service.

QUALITIES: CITGO Compressor Oil 7585 is formulated to a high Viscosity Index to provide good low temperature starting and high temperature film strength.

CITGO Compressor Oil 7585, contains a special additive system to reduce lubricant displacement by water or liquid hydrocarbons, resist the corrosive effects of hydrogen sulfide and other sour gas components, and fight deposit formation to ensure compressor cleanliness.

CITGO Compressor Oil 7585 can tolerate a wide variety of natural gas quality.

APPLICATIONS: CITGO Compressor Oil 7585 satisfies the lubricant requirements of single and multi-stage reciprocating compressors in raw, scrubbed or processed natural gas service, and excels where "once through" lubrication is needed in wet acidic gas service.

CITGO Compressor Oil 7585 is widely used for compressing production natural gas, high pressure carbon dioxide, hydrogen sulfide, refinery tail gas, and wellhead gas, where the gas stream may be wet and dirty.

TYPICAL PROPERTIES:

CITGO COMPRESSOR OIL 7585

Material Code	637141001
Gravity, ASTM D 4052, °API	28.8
Flash Point, ASTM D 92, °F (°C)	410 (210)
Viscosity, ASTM D 445, cSt at 40°C	267
cSt at 100°C	24.0
Viscosity Index, ASTM D 2270	120
Pour Point, ASTM D 97, °F (°C)	14 (-10)

CITGO is a registered trademark of CITGO Petroleum Corporation. All other registered trademarks or trademarks are the property of their respective owners.